

NEW SOUTH WALES GENERAL

Anderson, R.H. (1939)

The naturalised flora of NSW (excluding Gramineae)

Contrib. NS. Nat. Herb. 1: 16–33

Species listed under families, country of origin stated.

Botanical Region: NSW

Archer, A.W. (1980)

List of lichens collected in NSW 1977–1980

(unpub.)

A checklist of lichen species found in eastern NSW, the genera arranged alphabetically within each locality. Includes more detailed location and habitat information.

Botanical Regions: CC, NC, SC

Baur, G.N. (1954)

Factors affecting rainforest distribution in NSW

B.Sc. Hons. Thesis Syd. Univ. (unpub.)

Includes lists of species from the following locations:

Upper Hastings River

Mt Wilson (Blue Mountains)

Myall Lakes (16 km (10 miles) E. of Buladelah)

Barrington – temperate rain forest

Barrington – subtropical rain forest

Bulli (8.1 km (5 miles) N of Wollongong)

Loddon Falls (4.8 km (3 miles) NW of Bulli)

Bola Creek (Royal National Park, 32.2 km (20 miles) S of Sydney)

Moore Park, Kyogle (Richmond River 32.2 km (20 miles) NW. of Kyogle)

Unungar State Forest (14.5 km (9 miles) NE. of Urbenville)

Koreelah Rd (Upper Clarence River valley)

Mt Lindesay – tropical rain forest (Queensland border)

Mt Lindesay – montane rain forest (Queensland border)

Wiangarie State Forest (16 km (10 miles) N of Kyogle)

Lynches Creek (16 km (10 miles) N of Kyogle)

Whian Whian–coachwood forest (16 km (10 miles) SW. of Mullumbimby)

Whian Whian – upper basalt (16 km (10 miles) SW of Mullumbimby)

Whian Whian –lower basalt (16 km (10 miles) SW of Mullumbimby)

Mt Pikapene – dry rainforest (38.6 km (24 miles) SW of Casino)

Mt Pikapene –creek bank forest (38.6 km (24 miles) SW of Casino)

Myrtle Creek (32.2 km (20 miles) SE of Mt. Pikapene)

McCauleys Headland (3.2 km (2 miles) N of Coffs Harbour)

Bruxner Park (immediately N of Coffs Harbour)

Brooklana (16 km (10 miles) E of Dorrigo)

Orara West S.F. (17.7 km (11 miles) W of Coffs Harbour)

Clouds Creek S.F. – basalt (24.1 km (15 miles) NNW of Dorrigo)

Clouds Creek S.F. – gully (24.1 km (15 miles) NNW of Dorrigo)

Moonpar S.F. (16 km (10 miles) NNW of Dorrigo)

Dome Mountain (16 km (10 miles) E of Urbenville)

Pine Creek S.F. – beach sand (16 km (10 miles) SSW of Coffs Harbour)

Pine Creek S.F. – gully (16 km (10 miles) SSW of Coffs Harbour)

Exact locations are given in the text.

Botanical Region: NSW

Beadle, N.C.W. (1948)

The Vegetation and Pastures of Western NSW with special reference to soil erosion

Govt. Printer: Sydney

Species are listed for each of the 18 associations recognised (equivalent to recent Australian authors' alliances). Only grasses and forbs are included in most floristic lists. The lists are subdivided according to growth form and fodder value. Tree, small tree and shrub species are not listed but noted *inter alia* in the text.

Botanical Regions: NWP, SWP, NFWP, SFWP

Blakely, W.F. (1965)

A Key to the Eucalypts. 3rd Ed

Forestry and Timber Bureau: Canberra

Includes a table, on p. 305, listing species found in NSW.

Botanical Region: NSW

Coveny, R. (1960s–1979)

92 checklists of plant sightings and collections (unpub.)

Lists of species, alphabetically by genera with exotics indicated by asterisk, for the following localities listed below alphabetically followed by date(s) then number of species.

NC Bundjilung Nature Reserve, Evans Head (1972–77), c. 160 Carrai State Forest, west of Kempsey (1968), c. 150 The Broadwater National Park (1977), c. 130

CC Additions to Green Scrub list (Hungerford et al. 1976–78), Bilpin, via Mountain Lagoon (1978), c. 50

Bass Point Reserve, south of Shellharbour (1977), 58 Bents Basin, Wallacia (1970–75), 101

Brisbane Water National Park, near Gosford (1969–78), c. 360 for 2 sites Brush Farm, Eastwood, Sydney (1978), c. 100

Casula, 2FC radio station site, near Liverpool (1965–78), 218 Cheltenham, Sydney (1965–78), c. 400

Cowan to Jerusalem Bay, Kuring-gai Chase, Sydney (1965–70), c. 320 Culoul Range-Colo River Gorge (1976–77), 432 Cumberland State Forest, Baulkham Hills, Sydney (1976), c. 220

Darvall Park, Denistone, Sydney (1978), 106; additions and corrections (1979),

c. 50 Deep Creek, Narrabeen, Sydney (1965–75), 409 Deewhy Lagoon, Sydney (1970–72), 277 Dharug National Park (1972–77), c. 270

East Hills area, Picnic Point and Deadroans Creek, Sydney (1960–70), 238 for

4 sites. Elouera Bushlands Reserve, Sydney (1970), c. 350 in major plant groups,

family and common names given Frenchs Forest, Sydney (1965–70), 406 Georges River Park, Sydney (1966), c. 100

Glebe Gully, Randwick, Sydney (1977), 39 Glen Davis area (1976–77), c. 210

Gospers Creek, a tributary of the Colo River (1977–78), c. 70

Hallstrom Nature Reserve, Muogamarra, North of Sydney (1962–69), c. 210

for 2 sites Heathcote National Park:

Abaroo Track (1979), c. 200 for 2 sites inside and outside Park, Additions to Bullawaring Track (1978), c. 50, Mooray Track (1968–78), c. 260, Sarahs Knob (1977–78), c. 270. Helensburgh, Sydney (1967–72), c. 150

Katandra Sanctuary, Mona Vale, Sydney (1975–79), c. 400 Kelly Falls, near Helensburgh (1979), c. 220

Kurnell Peninsula Historical Site, Sydney (1960–77), c. 350 Lake Parramatta Reserve, Sydney (1960–65), c. 230 La

Perouse, Sydney (1970–78), c. 400 Linden, Blue Mountains (1960–70), c. 240 Longneck Lagoon, Cattai (1974), 108

Mt Kuring-gai to Apple Tree Bay, Sydney (1960–65), c. 180 Manly Reservoir, Sydney (1965–70), 190

Minnamurra Falls, Kiama (1978), c. 70 ferns with common names Mulgoa, Nepean River (1976), c. 320 Otford, South of Sydney (1965–66), c. 250 North Head, Sydney (1967), c. 250

Nortons Basin, Nepean River near Warragamba River junction (1971–76),

c. 130 Royal National Park, Sydney (1960–72), c. 720 with family names Royal National Park:

Anise Falls track (1978), c. 300, Audley (1974–76), c. 220, Bola Creek (1970–78), 160,

Bundeena to Marley Lagoon (n.d.), c. 250, Burning Palms, via Palm Jungle (1978), c. 250, Burning Palms, via

Squeezeway (1978), c. 70, Costans Point (1977), c. 300,

Curra Moor fire trail (1977), c. 150,

Engadine Station to Engadine Falls (1970–76), c. 320, Flat Rock Creek (1979), c. 240,

Governor Game Lookout to Garrawarra (1970–77), c. 350, Jibbon Lagoons (1970–78), c. 400, Kangaroo Creek (1965–70), c. 220,

Lady Carrington Drive (1965–70), c. 280, Middle Rill to Garie Beach (1975), c. 50, Mowlee Ridge (1978), c. 200,

National Park Station (1970–75), c. 300,

Otford Lookout to Werong Beach (1978), c. 300, Palm Creek (1978), c. 200,

Savilles Creek–Temptation Creek (1960–70), c. 350, Scientist Hut, Couranga Track (1970–76), c. 250, Stevens Drive to Curra Moors (1970–76), c. 200, The Basin (1974–76), c. 300, Uloola Track (1965–77), c. 450, Upper Causeway (1970), c. 120,

Wattamolla to Curracurrang (1976–77), c. 270, Winifred Falls (1979), 270, Wisers Track (1977), c. 200. St Marys,

northeast of railway station (1968–73), 243 The Woolwash, Campbelltown (1965–70), c. 200 Thirlmere Lakes National Park (1977), c. 210 Toongabbie Creek Reserve, Sydney (1965–70), 290 Towra Point, Sydney (1977), 158

Whispering Gallery, southeast of Albion Park (1977), c. 110 Wilsons Creek, south of Waterfall, Sydney (1971–76), c. 140

SC Jervis Bay (1971), c. 180, families given

NT Additions to Mt Kaputar list produced by National Parks and Wildlife

Service of NSW, (1976), c. 150, families given Barrington Tops National Park (Gloucester Tops area), (1970–78), c.

CT Blackheath, Blue Mountains (1965–77), 295, for 4 sites Centennial Glen, Blackheath, Blue Mountains (1965), 214, for 7 sites Kanangra–Boyd National Park (1970–77), 154 Lawson, Blue Mountains (1970–78), c. 270, for 2 sites Robertson Nature Reserve (1978), 45 Valley of the Waters Reserve, Wentworth Falls, Blue Mountains (1979), c. 250 Wentworth Falls, Blue Mountains (1969–77), c. 300 for 4 sites ST Kosciuszko National Park (1970–76), c. 270 CWS Goonoo State Forest, North of Dubbo (1973–78), c. 140.
Botanical Regions NC, CC, SC, NT, CT, ST, CWS

Cross, D.O. and Vickery, J.W. (1950)

List of the naturalised grasses in NSW

Contrib. NSW Nat. Herb. I: 275–280

Listed alphabetically within genera. Common names and country of origin.

Botanical Region: NSW

Cunningham, G.M., Milthorpe, P.L., Mulham, W.E. & Leigh, J.H. (1981)

Plants of western NSW

Government Printer, Sydney

About 2,000 species are listed, in major plant groups, under families, alphabetically by genera. Notes on habitat, growth habits, flowering period, distribution, uses, toxicity, are given together with photographs and drawings of plants.

Botanical Regions: NWP, SWP, NFWP, SFWP

LGAs: various

Drake, W.E. & Specht, R.L. (1980)

Reference list – heath/sclerophyll vegetation species lists

In a letter from the Australian Heritage Commission (unpub.)

A record of comprehensive floristic lists: 14 from Qld., 11 from N.S.W., 11 from Vic., 11 from Tas., 10 from S.A., two from NT and eight from WA and a list of poorly recorded localities.

Botanical Region: NSW

Gordon, E.C. (1965)

The flowering periods of Australian and New Zealand orchids Section 1, NSW

Orchadian 2: 25–30

Although not intended as a census of NSW orchids, this list, with a few minor exceptions, includes all species.

Botanical Region: NSW

Henshall, T.S. (1970)

A checklist of Australian saltbush

Sunraysia Naturalists Research Trust. 7th Report, 14–53

NSW A census of Australian saltbush species (Chenopodiaceae) recorded by States.

Botanical Region: NSW

Maiden, J.H. (1901b)

Presidential address – Botanical survey of NSW

Proc. Linn. Soc. NSW 26: 741–805

Includes a short bibliography of papers containing floristic lists and notes on the flora and vegetation.

Botanical Region: NSW

Maiden, J.H. and Betche, E. (1916)

A Census of NSW Plants

Govt Printer: Sydney

The most recent State census. With full author citation, some synonyms cited.

Botanical Region: NSW

Melvaine, A.T. (1936)

A check list of NSW pteridophytes

Proc. Linn. Soc. NSW 61: 111–121

With a few taxonomic, but no ecological notes.

Botanical Region: NSW

Moore, C. (1884)

A census of the plants of NSW

Govt Printer: Sydney

Listed under families.

Botanical Region: NSW

Moore, C.W.E. (1967)

Flora of northwestern NSW

Royal Botanic Gardens Lib. (unpub.)

Species collected in 1966–67 listed under families with map. Copy in Royal Botanic Gardens Lib. with hand-written annotations.

Botanical Region: NSW

Pickard, J. & Norris, E.H. (1993)

The natural vegetation of north-western NSW: notes to accompany the 1:1,000,000 vegetation sheet

Cunninghamia 3(3): 423–464

Describes 41 plant communities in an area covering much of semi-arid and arid NSW, with approx 500 species listed.

Botanical Regions: NWP, NFWP

LGAs: Bourke, Cobar, Central Darling, Unincorporated Area

Ramsay, H.P. (1984b)

Census of NSW mosses

Telopea 2: 455–534

Checklist of 527 species, arranged alphabetically by genus in systematically arranged families with distribution information. Also contains list of references.

Botanical Region: NSW

Ramsay, H.P. (1984c)

Phytogeography of the mosses of NSW

Telopea 2: 535–547

List of species apparently endemic to NSW, arranged alphabetically by genus in systematically arranged families with distribution information. Rare species indicated. Text discusses relationships, distribution patterns and endemism.

Botanical Region: NSW

Robertson, C.C. (1926)

The trees of extra-tropical Australia

A reconnaissance of the forest trees of Australia from the point of view of their cultivation in South Africa. A report of a tour in Australia in 1924. Forest Department, Pretoria

Descriptions of the forests of each State, divided into natural divisions. No list, tree species mentioned in text.

Botanical Region: NSW

Rogers, R.W. & Lange, R.T. (1972)

Soil surface lichens in south-eastern Australia

Austral. J. Bot. 20: 215–227

Study of floristics and distribution of soil surface lichen flora of sub-arid southeastern Australia, including western half of NSW. An annotated list of 42 taxa.

Botanical Region: NSW

Rupp, H.M.R. (1933)

The genus *Pterostylis* R.Br. (Orchidaceae). A new scheme of classification, with notes on the distribution of the Australian species

Proc. Linn. Soc. NSW 58: 421–428

Primarily taxonomic, species listed and State distribution noted.

Botanical Region: NSW

Rupp, H.M.R. (1937)

A census of the orchids of NSW 1937

Proc. Linn. Soc. NSW 62: 27–31

List of species with no distribution notes.

Botanical Region: NSW

Rupp, H.M.R. (1940s)

Records of orchids

Royal Botanic Gardens Lib. (unpub.)

Lists of orchids from the following localities, with date of collection: Tamworth 1904, Warialda 1905, Copmanhurst 1911, Barraba 1914, Lane Cove River 1914–19, Bulahdelah 1923–24, Paterson 1924–29,

Eccleston and Barrington Tops 1925, 1928, South Maitland Coalfields 1930–32,

Bellinger Valley and Dorrigo Highlands 1934, Brunswick River 1936, Raymond Terrace 1936–39, Woy Woy 1933–36, Middle Harbour–Frenchs Forest 1939–1940s.

This is a compilation by Rupp of all his lists of orchids.

Botanical Region: NSW

Sainty, G.R. & Jacobs, S.W.L. (1981)

Waterplants of NSW

Water Resources Commission, Sydney

About 200 species are listed alphabetically by genus within family. Generic keys to all aquatic plants, species keys to all except sedges and grasses. Brief description of habitat, growth, biology and distribution.

Botanical Region: NSW

Sammy, N. (1980a)

Records of NSW lichens housed in the Cryptogamic Herbarium, British Museum (Natural History), London (unpub.)

A checklist of 20 species with collectors' names, localities, dates and annotations, and corrected taxa with determinavits where appropriate. Type specimens marked. Mostly eastern NSW. Includes a list of lichen collectors and references.

Botanical Region: NSW

Sammy, N. (1980b)

Records of NSW lichens housed in the Herbarium of the Conservatoire at Jardin Botaniques, Geneva. (unpub.)

A checklist of 69 species with collectors' names, localities, dates and annotations, and corrected taxa with determinavits where appropriate. Type specimens marked. Mostly eastern NSW. Includes a list of lichen collectors and references.

Botanical Region: NSW

Sammy, N. (1980c)

Collections of NSW lichens housed at the Adelaide Herbarium (unpub.)

A list of eight collections of the species *Parmelia amphixantha* with collectors' names, date and location.

Botanical Region: NSW

Simon, B.K. (1978)

A preliminary check list of Australian grasses. Botany Branch, Department of Primary Industry, Brisbane
Techn. Bull. No. 3

About 1700 species are listed by tribe, sub-tribe, genus, species and subspecies, with authorities given, for all States of Australia.

Botanical Region: NSW

Sutton, C.S. (1923)

Report of the ecological committee

Rept. A.A.A.S. 16: 109–118

No floristic lists but a 'Bibliography of the Australian floristic and ecological plant geography'.

Botanical Region: NSW

Vickery, J.W. (1953)

A census of the native Gramineae of NSW

Contrib. NSW Nat. Herb. 2: 67–88

Taxonomic paper, cites some synonyms.

Botanical Region: NSW

Williams, J.B. (1979)

A check list of the rainforest flora of NSW Part 1: Trees and Shrubs. Part 2: Climbers

Department of Continuing Education and Department of Botany, University of New England, Armidale

About 600 species are listed under families within genera, with authorities, common names, habit, southern limit for five types of rainforest – subtropical, warm temperate, cool temperate, dry, and littoral.

Botanical Region: NSW

Williams, J.B. (1967a)

A check-list of the native trees and shrubs occurring in rainforests in NSW

Univ. New Eng. Bot. Dept, 13 pp. roneo (unpub.)

Species listed under families, with common names.

Botanical Region: NSW

Wood, E.J.F. (1959)

Some east Australian sea-grass communities

Proc. Linn. Soc. NSW 84: 218–226

No list of species but reference is made to the floristics of the communities in the text.

Botanical Region: NSW

Woolls, W. (1885)

The plants of NSW

Govt. Printer: Sydney

List with some annotations of ecological value.

Botanical Region: NSW